









SHADY SPECIFICATIONS


design by Kris Van Puyvelde


SHADY	Ref: SHA...
	0,20 m³ - BASE NOT INCLUDED
i	TEAK POLE + TEAK RIBS
	70-71, 98-99, 166-167, 174-175



	TEAK POLE TK	TEAK RIBS TK		A (cm/")
 Ø 3,5	SHA 35 TK ...*	.	23,7 kg 54.6 Lbs	85 33"
 Ø 4,5	SHA 45 TK ...*	.	29,2 kg 67.2 Lbs	34 13"
 3,0 x 3,0	SHA 30V TK ...*	.	22,2 kg 50.0 Lbs	56 22"
 3,5 x 3,5	SHA 35V TK ...*	.	23,5 kg 53.5 Lbs	12 5"
 3 x 4	SHA 40R TK ...*	.	26,9 kg 64.1 Lbs	10 4"

268 / 106"



* COVER COLOURS TEXTILE							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU

SHADY SPECIFICATIONS

design by Kris Van Puyvelde

SHADY	Ref: SHA ...
☐	0,20 m ³ - BASE NOT INCLUDED
i	STAINLESS STEEL POLE + TEAK RIBS








Cover solution dyed acrylic fibre 300 gr/m², including cover bag

Stainless steel crown rings, pulleys and fittings


"A-grade" teak ribs and hub, easily exchangeable

Stainless steel pole Ø 60 mm











	STAINLESS STEEL POLE + TEAK RIBS		EP STAINLESS STEEL POLE + TEAK RIBS		A (cm/")
	TK	TK	EP	TK	
 Ø 3,5	SHA 35 ...*	SHA 35 EP ...*			24,8 kg 54,6 Lbs 85 33"
 Ø 4,5	SHA 45 ...*	SHA 45 EP ...*			30,5 kg 67,2 Lbs 34 13"
 3,0 x 3,0	SHA 30V ...*	SHA 30V EP ...*			23,6 kg 52,0 Lbs 56 22"
 3,5 x 3,5	SHA 35V ...*	SHA 35V EP ...*			24,3 kg 53,5 Lbs 12 5"
 3 x 4	SHA 40R ...*	SHA 40R EP ...*			29,1 kg 64,1 Lbs 10 4"

268 / 106"



A

* COVER COLOURS TEXTILE

							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU

SHADY SPECIFICATIONS


design by Kris Van Puyvelde

SHADY	Ref: SHA...
	0,20 m³ - BASE NOT INCLUDED
	STAINLESS STEEL POLE + COATED ALUMINIUM RIBS



* COVER COLOURS TEXTILE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
*W		*C		*B	
** COVER COLOURS BATYLINE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
**W		**C		**B	



268 / 106"








		BRUSHED POLE + COATED ALU RIBS		EP POLE + COATED ALU RIBS			A (cm/")
			*		*		
* TEXTILE	Ø 3,5	SHA 35 ...*	SHA 35 EP ...*	SHA 35 T ...**	SHA 35 EPT ...**	24,8 Kg 54,6 Lbs	85 33"
	Ø 4,5	SHA 45 ...*	SHA 45 EP ...*	SHA 45 T ...**	SHA 45 EPT ...**	30,7 Kg 67,6 Lbs	34 13"
	3,0 x 3,0	SHA 30V ...*	SHA 30V EP ...*	SHA 30V T ...**	SHA 30V EPT ...**	25,9 Kg 57,0 Lbs	56 22"
	3,5 x 3,5	SHA 35V ...*	SHA 35V EP ...*	SHA 35V T ...**	SHA 35V EPT ...**	24,5 Kg 54,0 Lbs	12 5"
	3 x 4	SHA 40R ...*	SHA 40R EP ...*	SHA 40R T ...**	SHA 40R EPT ...**	29,6 Kg 65,2 Lbs	10 4"
* BATYLINE							

SHADY X-CENTRIC SPECIFICATIONS

design by Kris Van Puyvelde

SHADY X-CENTRIC	Ref: SHAX...
 0,20 m ³ - STANDARD GRANITE BASE - OPTIONAL MOBILE BASE - ref: MOB X	
 STAINLESS STEEL POLE AND TEAK RIBS	




		STAINLESS STEEL POLE + TEAK RIBS	EP STAINLESS STEEL POLE + TEAK RIBS	
		 TK	 TK	
TEXTILE	 Ø 4,0	SHAX 40 ...	SHAX 40 EP ...*	28,0 Kg 61,7 Lbs
	 3 x 4	SHAX 40R ...*	SHAX 40R EP ...*	31,0 Kg 68,3 Lbs

* COVER COLOURS TEXTILE							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU

SHADY X-CENTRIC SPECIFICATIONS

design by Kris Van Puyvelde

SHADY X-CENTRIC		Ref: SHAX...
□	0,20 m ³ - STANDARD GRANITE BASE - OPTIONAL MOBILE BASE - ref: MOB X	
i	UMBRELLA WITH STAINLESS STEEL POLE AND COATED ALUMINIUM RIBS	



		COATED ALU. + STAINLES STEEL	COATED ALU. + EP STAINLES STEEL		COATED ALU. + STAINLES STEEL	COATED ALU. + EP STAINLES STEEL		COATED ALU. + STAINLES STEEL	COATED ALU. + EP STAINLES STEEL		
 ∅ 4,0 3 x 4	TEXTILE		SHAX 40 WW	SHAX 40 EPWW		SHAX 40 CC	SHAX 40 EPCC		SHAX 40 BB	SHAX 40 EPBB	 28,0 Kg 61,7 Lbs
			•	•		•	•		•	•	
 ∅ 4,0 3 x 4	BATYLINE		SHAX 40 TWW	SHAX 40 EPTWW		SHAX 40 TCC	SHAX 40 EPTCC		SHAX 40 TBB	SHAX 40 EPTBB	 28,0 Kg 61,7 Lbs
			•	•		•	•		•	•	
 ∅ 4,0 3 x 4	BATYLINE		SHAX 40R WW	SHAX 40R EPWW		SHAX 40R CC	SHAX 40R EPCC		SHAX 40R BB	SHAX 40R EPBB	 31,0 Kg 68,3 Lbs
			•	•		•	•		•	•	
 ∅ 4,0 3 x 4	BATYLINE		SHAX 40R TWW	SHAX 40R EPTWW		SHAX 40R TCC	SHAX 40R EPTCC		SHAX 40R TBB	SHAX 40R EPTBB	 31,0 Kg 68,3 Lbs
			•	•		•	•		•	•	